Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20020087867"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 08:56
S2	34	oberle-r$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 12:45
S3	142	walker-chris$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 12:45
S4	575890	RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID RF adj ID) (((radio adj frequency) RF) adj ID identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 11:02
S5	8	S2 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 12:49
S6	18	S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 12:49
S7	11551	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:08
S8	11358	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) and reader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:05

S9	11270	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) with reader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 12:59
S10	11234	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) adj reader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 12:59
S11	11230	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) adj reader same encryption and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:00
S12	11230	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) adj reader same encryption and key and password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:26
S13	11230	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) adj reader same encryption and key and password and (time$stamp$ timestamp "time stamp")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:01
S14	11230	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) adj reader same encryption and key and password and (time$stamp$ timestamp "time stamp") and decrypt$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:03
S15	11230	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) adj reader same encryption and key and password and (time$stamp$ timestamp "time stamp") and decrypt$4 and ("public/private" public-private (public next private))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:03

S16	11230	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) adj reader same encryption and key and password and (time$stamp$ timestamp "time stamp") and decrypt$4 and ("public/private" public-private (public next private)) and hidden	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:05
S17	5446	S7 and reader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:06
S18	3459	S7 with reader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:06
S19	1602	S7 adj reader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:27
S20	167	S19 and encrypt$4 and decrypt$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:08
S21	150	S20 and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:42
S22	64	S21 and password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 14:37
S23	6	US-5023908-$.DID. OR US-5058161-$.DID. OR US-5963134-$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 14:38

S24	4	US-6133833-$.DID. OR US-6130623-$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:28
S25	278	713/183.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 15:09
S26	453	713/170.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:33
S27	4	713/183.ccls. and (RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:32
S28	2	713/170.ccls. and (RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:35
S29	11620	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:44
S30	310	S29 adj reader and keypad	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:27
S31	1611	S29 adj reader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:42

S32	168	S31 and encrypt$4 and decrypt$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:47
S33	75	S32 and key and keypad	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:43
S34	2	"5963134".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:43
S35	11325	RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) and keypad and (interface gui "graphical user interface" "user interface" screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:46
S36	1124	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and keypad and (interface gui "graphical user interface" "user interface" screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:47
S37	1098	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) adj reader) and keypad and (interface gui "graphical user interface" "user interface" screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:47
S38	81	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) adj reader) and keypad and (interface gui "graphical user interface" "user interface" screen) and (S31 and encrypt$4 and decrypt$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:48

S39	20	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) adj reader) and keypad and (interface gui "graphical user interface" "user interface" screen) and (S31 and encrypt$4 and decrypt$4) and password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:31
S40	25	713/183.ccls. and rf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 15:10
S41	32	713/183.ccls. and (rf rfid "radio frequency" "radio-frequency")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 15:10
S42	32	713/183.ccls. and (rf rfid "radio frequency" "radio-frequency" radiofrequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 15:11
S43	45	((RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification)) adj reader) and password).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:32
S44	2726	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 13:28
S45	728	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and card and password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:11
S46	634	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and card and password and interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:11

S47	342	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and card and password and interface and encrypt$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:12
S48	333	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and card and password and interface and encrypt$4 and network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:12
S49	295	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and card and password and interface and encrypt$4 and network and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:13
S50	241	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and card and password and interface and encrypt$4 and network and key and (keypad keyboard)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:13
S51	68	((RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) adj reader) and card and password and interface and encrypt$4 and network and key and (keypad keyboard)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:14
S52	9	("20020060639" | "4367458" | "4613848" | "6091320" | "6150948" | "6204760" | "6617963" | "6624750" | "6693513").PN. OR ("6888459"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/07 13:12
S53	2	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and 713/170.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:20

S54	11	("4240064" | "4847485" | "5682032" | "6040773").PN. OR ("6150948").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/07 13:52
S55	1	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and 713/170.ccls. and encrypt$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:15
S56	436	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and password and message and encrypt$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:16
S57	345	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and password and message and encrypt$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:16
S58	162	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and password and message and encrypt$ and decrypt$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:17
S59	142	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and password and message and encrypt$ and decrypt$4 and interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:17
S60	138	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and password and message and encrypt$ and decrypt$4 and interface and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:17

S61	129	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and password and message and encrypt$ and decrypt$4 and interface and key and card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:47
S62	15	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and password and message and encrypt$ and decrypt$4 and interface and key and card and time$stamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:18
S63	0	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and password and message and encrypt$ and decrypt$4 and interface and key and card and 713/168.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:48
S64	7	(RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) and reader and password and 713/168.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:51
S65	3	"6229445".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:51

S66	29	("20020129246" | "20030018893" | "20030028787" | "20030179078" | "20040049451" | "4075632" | "4352183" | "4360810" | "5521601" | "5530702" | "5550547" | "5649296" | "5757923" | "5777561" | "5850187" | "5883582" | "5940006" | "5986570" | "5995019" | "6091319" | "6130623" | "6177861" | "6236315" | "6265962" | "6307848" | "6317028" | "6323566" | "6366260" | "6726099").PN. OR ("6842106").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/07 16:55
S67	31	("5151684" | "5305199" | "5319544" | "5469142" | "5533079" | "5671362" | "5741985" | "5777884" | "5781004" | "5841770" | "5842118" | "5949335" | "5959568" | "5962834" | "6034603" | "6050490" | "6078251" | "6091319" | "6107910" | "6150948" | "6236315" | "6265963" | "6269342" | "6317028" | "6330971" | "6337634" | "6351630" | "6353406" | "6362737" | "6421426").PN. OR ("6726099").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/07 17:06
S68	27	(US-20010027439-$ or US-20020060639-$ or US-20020129246-$ or US-20030093680-$ or US-20030177025-$ or US-20040016796-$ or US-20050035192-$ or US-20050077349-$ or US-20050101841-$ or US-20050150952-$).did. or (US-4367458-$ or US-4613848-$ or US-5007085-$ or US-5867106-$ or US-6040773-$ or US-6088450-$ or US-6091320-$ or US-6150948-$ or US-6204760-$ or US-6229445-$ or US-6362737-$ or US-6510517-$ or US-6617963-$ or US-6624750-$ or US-6693513-$ or US-6768419-$ or US-6922779-$).did.	US-PGPUB; USPAT	OR	ON	2005/09/08 10:42

S70	12	S68 and building	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 10:43
S71	10	S68 and building and access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 10:54
S72	8	S68 and key and encrypt$ and decrypt$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 10:54
S73	6	S68 and key and encrypt$ and decrypt$ and reader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 11:02
S74	2062	(RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID RF adj ID) (((radio adj frequency) RF) adj ID identification)) adj reader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 11:03
S75	40	(((((RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID RF adj ID) (((radio adj frequency) RF) adj ID identification)) adj reader) with key) with encrypt$) with decrypt$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 11:15
S76	39	(((((RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID RF adj ID) (((radio adj frequency) RF) adj ID identification)) adj reader) with key) with encrypt$) with decrypt$) and card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 11:16
S77	102838	(RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID RF adj ID) (((radio adj frequency) RF) adj ID identification))and card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 11:16

S78	24738	(RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID RF adj ID) (((radio adj frequency) RF) adj ID identification)) near3 card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 11:16
S79	20222	(RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID RF adj ID) (((radio adj frequency) RF) adj ID identification)) near2 card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 11:17
S80	12039	(RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID RF adj ID) (((radio adj frequency) RF) adj ID identification)) adj card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 11:17
S81	643	((RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID RF adj ID) (((radio adj frequency) RF) adj ID identification)) adj card) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 11:17
S82	40	(((RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID RF adj ID) (((radio adj frequency) RF) adj ID identification)) adj card) with key) with encrypt$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 11:24
S83	5	(((RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID) (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) adj card) with key) with encrypt$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:03
S84	11675	(RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID) (RF adj ID) (((radio adj frequency) RF) adj (ID identification)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:04
S85	1619	((RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID) (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) adj reader)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:04

S86	222	(((RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID) (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) adj reader) with card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:27
S87	8	((((RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID) (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) adj reader) with card) with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:28
S88	332	(((RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID) (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) adj reader) same card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:27
S89	222	(((RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID) (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) adj reader) with card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:46
S90	14	((((RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID) (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) adj reader) with card) same key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:31
S91	25	(((RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID) (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) adj reader) with card) and encrypt$ and decrypt$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:47
S92	2	"5874902".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 08:02

S94	37	("3703714" | "4075632" | "4242671" | "4369557" | "4384288" | "4501938" | "4509093" | "4568918" | "4918425" | "4926182" | "4940245" | "5019801" | "5113184" | "5136131" | "5299227" | "5319364" | "5379033" | "5448110" | "5525992" | "5621412" | "5649296" | "5764180" | "5852289" | "5917423" | "5926094" | "5937512" | "5942978" | "5952937" | "5963177" | "5972152" | "5972156" | "5983347" | "5988510" | "6037879" | "6130602" | "6285295").PN. OR ("6693513").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 10:07
S95	6	"08705043"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 11:11
S96	2	"6130623".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 11:11
S97	2	"5942978".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 12:55
S98	26	("4553136" | "4575624" | "5151684" | "5426419" | "5587703").PN. OR ("5942978"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 14:56
S99	6	S98 and card and reader	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 14:58
S10 0	1	"5426419".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 15:00
S10 1	1	"5528914".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 14:59

S10 2	1	"5535606".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 14:59
S10 3	1	"5005125".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/12 14:59
S10 4	91	("5193114" "5481612" "5771291" "5199072" "6230269" "5455863" "5689563" "6661352" "5640002" "6611673" "5689242" "6011320" "6211862" "6211862" "6225906" "6225906" "5752079" "5475377" "5565857" "6834795" "4438824" "5543798" "5784461" "6078908" "5428683" "5920628" "6219439" "6219439" "6434700" "6215992" "6215992" "5995624" "5784464" "6173402" "6195432" "6332025" "5590199" "6075861" "6134661" "6871278" "5696824" "6820204" "5978483" "5629981" "6229442" "5786626" "5266783" "5389772" "5446265" "5512887").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 08:45
S10 5	9	S104 and (RFID "RF ID" "radio frequency ID" "radio frequency identification" (RF-ID) (RF adj ID) (((radio adj frequency) RF) adj (ID identification)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 12:17
S10 6	2	"6089284".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:50
S10 7	2	"5053774".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:55
S10 8	2	"5629981".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:00

| S10 9 | 9 | S104 and (RFID "RF ID" "radio frequency ID" "radio frequency identification" RF-ID (RF adj ID) (((radio adj frequency) RF) adj (ID identification))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/14 12:17 |